Contents of Volume 59

Vol. 59, No. 1 September (I) 2005

Special issue:
Unlocking the secrets of the rice genome

Guest editor:
Rod Wing

Editorial vii

What it will take to Feed 5.0 Billion Rice consumers in 2030
G.S. Khush 1–6

How can we use genomics to improve cereals with rice as a reference genome?
Y. Xu, S.R. McCouch, Q. Zhang 7–26

Where does the accurate rice genome sequence lead us?
T. Sasaki, B. Antonio 27–32

Genome-wide introgression lines and their use in genetic and molecular dissection of complex phenotypes in rice (*Oryza sativa* L.)
Z.-K. Li, B.-Y. Fu, Y.-M. Gao, J.-L. Xu, J. Ali, H.R. Lafitte, Y.-Z. Jiang, J. Domingo Rey, C.H.M. Vijayakumar, R. Maghirang, T.-Q. Zheng, L.-H. Zhu 33–52

The *Oryza* Map Alignment Project: the golden path to unlocking the genetic potential of wild rice species
R.A. Wing, J.S.S. Ammiraju, M. Luo, H. Kim, Y. Yu, D. Kudrna, J.L. Goicoechea, W. Wang, W. Nelson, K. Rao, D. Brar, D.J. Mackill, B. Han, C. Soderlund, L. Stein, P. SanMiguel, S. Jackson 53–62

Molecular evidence for asymmetric evolution of sister duplicated blocks after cereal polyploidy
H. Wang, L. Yu, F. Lai, L. Liu, J. Wang 63–74

The plant architecture of rice (*Oryza sativa*)
Y. Wang, J. Li 75–84

Chemical- and irradiation-induced mutants of indica rice IR64 for forward and reverse genetics
J.-L. Wu, C. Wu, C. Lei, M. Baraoidan, A. Bordeos, M.R.S. Madamba, M. Ramos-Pamplona, R. Mauleon, A. Portugal, V.J. Ulat, R. Bruskiewich, G. Wang, J. Leach, G. Khush, H. Leung 85–97

EU-OSTID: a collection of transposon insertional mutants for functional genomics in rice
L. (Ellen) J.G. van Enckevort, G. Droc, P. Piffanelli, R. Greco, C. Gagneur, C. Weber, V.M. González, P. Cabot, F. Fornara, S. Berri, B. Miro, P. Lan, M. Rafel, T. Capell, P. Puigdomènech, P.B.F. Ouwerkerk, A.H. Meijer, E. Pe', L. Colombo, P. Christou, E. Guiderdoni, A. Pereira 99–110

Reverse genetic approaches for functional genomics of rice
G. An, D.-H. Jeong, K.-H. Jung, S. Lee 111–123

Conservation of the E-function for floral organ identity in rice revealed by the analysis of tissue culture-induced loss-of-function mutants of the *OsMADS1* gene
G.K. Agrawal, K. Abe, M. Yamazaki, A. Miyao, H. Hirochika 125–135

A pilot study of transcription unit analysis in rice using oligonucleotide tiling-path microarray
V. Stolc, L. Li, X. Wang, X. Li, N. Su, W. Tongprasit, B. Han, Y. Xue, J. Li, M. Snyder, M. Gerstein, J. Wang, X.W. Deng 137–149

Microarray analysis reveals similarities and variations in genetic programs controlling pollination/fertilization and stress responses in rice (*Oryza sativa* L.)
L. Lan, M. Li, Y. Lai, W. Xu, Z. Kong, K. Ying, B. Han, Y. Xue 151–164

Profiling the expression of genes controlling rice grain quality
M. Duan, S.S.M. Sun 165–178

Rice Proteome Database: a step toward functional analysis of the rice genome
S. Komatsu 179–190

Transcription factors in rice: a genome-wide comparative analysis between monocots and eudicots
Y. Xiong, T. Liu, C. Tian, S. Sun, J. Li, M. Chen 191–203

Modification of endogenous natural genes by gene targeting in rice and other higher plants
S. Iida, R. Terada 205–219

Vol. 59, No. 2 September (II) 2005

Caffeine production in tobacco plants by simultaneous expression of three coffee *N*-methyltrasferases and its potential as a pest repellant
H. Uefuji, Y. Tatsumi, M. Morimoto, P. Kaothien-Nakayama, S. Ogita, H. Sano 221–227

Male gametic cell-specific histone *gH2A* gene of *Lilium longiflorum*: genomic structure and promoter activity in the generative cell
K. Ueda, M. Suzuki, M. Ono, N. Ide, I. Tanaka, M. Inoue 229–238

Plant mitochondria contain at least two *i*-AAA-like complexes
A. Urantowka, C. Knorpp, T. Olczak, M. Kolodziejczak, H. Janska 239–252

Redundant and distinct functions of the ABA response loci *ABA-INSENSITIVE (ABI)5* and *ABRE-BINDING FACTOR (ABF)3*
R. Finkelstein, S.S.L. Gampala, T.J. Lynch, T.L. Thomas, C.D. Rock 253–267

Photoregulation of the greening process of wheat seedlings grown in red light
S. Sood, V. Gupta, B.C. Tripathy 269–287

The methylation cycle and its possible functions in barley endosperm development
V.V. Radchuk, N. Sreenivasulu, R.I. Radchuk, U. Wobus, W. Weschke 289–307

Complete chloroplast genome sequence of *Glycine max* and comparative analyses with other legume genomes
C. Saski, S.-B. Lee, H. Daniell, T.C. Wood, J. Tomkins, H.-G. Kim, R.K. Jansen 309–322

Genomic analysis of the 12-oxo-phytodienoic acid reductase gene family of *Zea mays*
J. Zhang, C. Simmons, N. Yalpani, V. Crane, H. Wilkinson, M. Kolomiets 323–343

Functional characterization of a melon alcohol acyl-transferase gene family involved in the biosynthesis of ester volatiles. Identification of the crucial role of a threonine residue for enzyme activity
I. El-Sharkawy, D. Manríquez, F.B. Flores, F. Regad, M. Bouzayen, A. Latché, J.-C. Pech 345–362

Endosperm-preferred expression of maize genes as revealed by transcriptome-wide analysis of expressed sequence tags
N.C. Verza, T. Rezende e Silva, G. Cord Neto, F.T.S. Nogueira, P.H. Fisch, V.E. de Rosa Jr, M.M. Rebello, A.L. Vettore, F. Rodrigues da Silva, P. Arruda 363–374

Vol. 59, No. 3 October 2005

Microarray profiling of plastid gene expression in a unicellular red alga, *Cyanidioschyzon merolae*
A. Minoda, K. Nagasawa, M. Hanaoka, M. Horiuchi, H. Takahashi, K. Tanaka 375–385

Proteomic profiling unravels insights into the molecular background underlying increased *Aphanomyces euteiches*-tolerance of *Medicago truncatula*
F. Colditz, H.-P. Braun, C. Jacquet, K. Niehaus, F. Krajinski 387–406

Potato expressed sequence tag generation and analysis using standard and unique cDNA libraries
B. Flinn, C. Rothwell, R. Griffiths, M. Lägue, D. DeKoeyer, R. Sardana, P. Audy, C. Goyer, X.-Q. Li, G. Wang-Pruski, S. Regan 407–433

Tobacco ZFT1, a transcriptional repressor with a Cys_2/His_2 type zinc finger motif that functions in spermine-signaling pathway
Y. Uehara, Y. Takahashi, T. Berberich, A. Miyazaki, H. Takahashi, K. Matsui, M. Ohme-Takagi, H. Saitoh, R. Terauchi, T. Kusano 435–448

Molecular and structural characterization of barley vernalization genes
J. von Zitzewitz, P. Szűcs, J. Dubcovsky, L. Yan, E. Francia, N. Pecchioni, A. Casas, T.H.H. Chen, P.M. Hayes, J.S. Skinner 449–467

Whole gene family expression and drought stress regulation of aquaporins
E. Alexandersson, L. Fraysse, S. Sjövall-Larsen, S. Gustavsson, M. Fellert, M. Karlsson, U. Johanson, P. Kjellbom 469–484

Discovery of novel conserved peptide domains by ortholog comparison within plant multi-protein families
R. Panstruga 485–500

Analysis of chromatin structure in the control regions of the *Chlamydomonas HSP70A* and *RBCS2* genes
M. Lodha, M. Schroda 501–513

A 6374 unigene set corresponding to low abundance transcripts expressed following fertilization in *Solanum chacoense* Bitt, and characterization of 30 receptor-like kinases
H. Germain, S. Rudd, C. Zotti, S. Caron, M. O'Brien, S.-C. Chantha, M. Lagacé, F. Major, D.P. Matton 515–532

Vol. 59, No. 4 November (I) 2005

Structural, functional, and phylogenetic characterization of a large *CBF* gene family in barley
J.S. Skinner, J. von Zitzewitz, P. Szűcs, L. Marquez-Cedillo, T. Filichkin, K. Amundsen, E.J. Stockinger, M.F. Thomashow, T.H.H. Chen, P.M. Hayes 533–551

NADK2, an *Arabidopsis* chloroplastic NAD kinase, plays a vital role in both chlorophyll synthesis and chloroplast protection
M.-F. Chai, Q.-J. Chen, R. An, Y.-M. Chen, J. Chen, X.-C. Wang 553–564

Identification of membrane-associated proteins regulated by the arbuscular mycorrhizal symbiosis
B. Valot, M. Dieu, G. Recorbet, M. Raes, S. Gianinazzi, E. Dumas-Gaudot 565–580

Expression patterns of purple acid phosphatase genes in *Arabidopsis* organs and functional analysis of *AtPAP23* predominantly transcribed in flower
H. Zhu, W. Qian, X. Lu, D. Li, X. Liu, K. Liu, D. Wang 581–594

Active RNA silencing at low temperature indicates distinct pathways for antisense-mediated gene-silencing in potato
A. Sós-Hegedűs, Á. Lovas, M. Kondrák, G. Kovács, Z. Bánfalvi 595–602

Overexpression of the pepper transcription factor CaPF1 in transgenic Virginia pine (*Pinus virginiana* Mill.) confers multiple stress tolerance and enhances organ growth
W. Tang, T.M. Charles, R.J. Newton 603–617

Conservation and diversification of *SCARECROW* in maize
J. Lim, J.W. Jung, C.E. Lim, M.-H. Lee, B.J. Kim, M. Kim, W.B. Bruce, P.N. Benfey 619–630

Identification of a novel *cis*-element exhibiting cytokinin-dependent protein binding *in vitro* in the 5′-region of NADPH-protochlorophyllide oxidoreductase gene in cucumber
N. Fusada, T. Masuda, H. Kuroda, H. Shimada, H. Ohta, K.-i. Takamiya 631–645

Analysis of RNA silencing in agroinfiltrated leaves of *Nicotiana benthamiana* and *Nicotiana tabacum*
E. Kościańska, K. Kalantidis, K. Wypijewski, J. Sadowski, M. Tabler 647–661

Ectopic expression of *EFFECTOR OF TRANSCRIPTION* perturbs gibberellin-mediated plant developmental processes
M. Ellerström, W. Reidt, R. Ivanov, J. Tiedemann, M. Melzer, A. Tewes, T. Moritz, H.-P. Mock, F. Sitbon, L. Rask, H. Bäumlein 663–681

The cryptochrome gene family in pea includes two differentially expressed *CRY2* genes
J.D. Platten, E. Foo, F. Foucher, V. Hecht, J.B. Reid, J.L. Weller 683–696

Vol. 59, No. 5 November (II) 2005

Controlled expression of recombinant proteins in *Physcomitrella patens* by a conditional heat-shock promoter: a tool for plant research and biotechnology
Y. Saidi, A. Finka, M. Chakhporanian, J.-P. Zrÿd, D.G. Schaefer, P. Goloubinoff 697–711

ZmMPK6, a novel maize MAP kinase that interacts with 14-3-3 proteins
M. Lalle, S. Visconti, M. Marra, L. Camoni, R. Velasco, P. Aducci 713–722

The evolution of the Abscisic acid-response in land plants: comparative analysis of Group 1 *LEA* gene expression in moss and cereals
Y. Kamisugi, A.C. Cuming 723–737

DcMYB1 acts as a transcriptional activator of the carrot phenylalanine ammonia-lyase gene (*DcPAL1*) in response to elicitor treatment, UV-B irradiation and the dilution effect
K. Maeda, S. Kimura, T. Demura, J. Takeda, Y. Ozeki 739–752

Metabolite profiling reveals a role for atypical cinnamyl alcohol dehydrogenase CAD1 in the synthesis of coniferyl alcohol in tobacco xylem
I. Damiani, K. Morreel, S. Danoun, G. Goeminne, N. Yahiaoui, C. Marque, J. Kopka, E. Messens, D. Goffner, W. Boerjan, A.-M. Boudet, S. Rochange 753–769

Expression of the hypersensitive response-assisting protein in *Arabidopsis* results in harpin-dependent hypersensitive cell death in response to *Erwinia carotovora*
A.-K. Pandey, M.-J. Ger, H.-E. Huang, M.-K. Yip, J. Zeng, T.-Y. Feng 771–780

Identification and characterisation of the α and β subunits of succinyl CoA ligase of tomato
C. Studart-Guimares, Y. Gibon, N. Frankel, C.C. Wood, M.I. Zanor, A.R. Fernie, F. Carrari 781–791

Hairy root-activation tagging: a high-throughput system for activation tagging in transformed hairy roots
H. Seki, T. Nishizawa, N. Tanaka, Y. Niwa, S. Yoshida, T. Muranaka 793–807

A putative plasma membrane cation/proton antiporter from soybean confers salt tolerance in *Arabidopsis*
G.-Z. Luo, H.-W. Wang, J. Huang, A.-G. Tian, Y.-J. Wang, J.-S. Zhang, S.-Y. Chen 809–820

Dual DNA binding property of *ABA insensitive 3* like factors targeted to promoters responsive to ABA and auxin
R. Nag, M.K. Maity, M. DasGupta 821–838

Vol. 59, No. 6 December 2005

The genomic organization of retrotransposons in *Brassica oleracea*
K. Alix, C.D. Ryder, J. Moore, G.J. King, J.S.(Pat) Heslop-Harrison 839–851

An annotation update via cDNA sequence analysis and comprehensive profiling of developmental, hormonal or environmental responsiveness of the *Arabidopsis* AP2/EREBP transcription factor gene family
J.-X. Feng, D. Liu, Y. Pan, W. Gong, L.-G. Ma, J.-C. Luo, X.W. Deng, Y.-X. Zhu 853–868

Endosperm-specific co-expression of recombinant soybean ferritin and *Aspergillus* phytase in maize results in significant increases in the levels of bioavailable iron
G. Drakakaki, S. Marcel, R.P. Glahn, E.K. Lund, S. Pariagh, R. Fischer, P. Christou, E. Stoger 869–880

The maize *An2* gene is induced by *Fusarium* attack and encodes an *ent*-copalyl diphosphate synthase
L.J. Harris, A. Saparno, A. Johnston, S. Prisic, M. Xu, S. Allard, A. Kathiresan, T. Ouellet, R.J. Peters 881–894

Comparative analysis of expressed sequence tags of conifers and angiosperms reveals sequences specifically conserved in conifers
T. Ujino-Ihara, H. Kanamori, H. Yamane, Y. Taguchi, N. Namiki, Y. Mukai, K. Yoshimura, Y. Tsumura 895–907

Dynamic histone acetylation of late embryonic genes during seed germination
H.H. Tai, G.C.C. Tai, T. Beardmore 909–925

Identification of NPR1-dependent and independent genes early induced by salicylic acid treatment in Arabidopsis
F. Blanco, V. Garretón, N. Frey, C. Dominguez, T. Pérez-Acle, D. Van der Straeten, X. Jordana, L. Holuigue 927–944

Tissue-specific expression and drought responsiveness of cell-wall invertase genes of rice at flowering
X.M. Ji, M. Raveendran, R. Oane, A. Ismail, R. Lafitte, R. Bruskiewich, S.H. Cheng, J. Bennett 945–964

Laser capture microdissection (LCM) and expression analyses of *Glycine max* (soybean) syncytium containing root regions formed by the plant pathogen *Heterodera glycines* (soybean cyst nematode)
V.P. Klink, N. Alkharouf, M. MacDonald, B. Matthews 965–979

***In vitro* and *in planta* interaction evidence between *Nicotiana tabacum* thaumatin-like protein 1 (TLP1) and *Cucumber mosaic virus* proteins**
M.J. Kim, B.-K. Ham, H.R. Kim, I.-J. Lee, Y.J. Kim, K.H. Ryu, Y.I. Park, K.-H. Paek 981–994

Instructions for authors 995–998

Contents of volume 999–1004

Author index 1005–1006